



Technical Tip
S4-08-0007-2

2008
Single Ply Track Models

The snowmobiles in these charts are equipped from the factory with a single ply track. These sleds must use Woody's Grand Master studs and Grand Digger support plates.

2.52 pitch single ply tracks can only use the single square and double Grand Digger support

SKI-DOO 2008 Single Ply Tracks				
SledModel	TrackLength	Pitch	LugHeight	# of Lugs
GSX Limited 600*	15 x 120"	2.86	1.00	42
GSX Limited 800*	15 x 120"	2.86	1.00	42
GSX Limited Touring*	15 x 120"	2.86	1.00	42
GSX Sport 500 SS*	15 x 120"	2.86	1.00	42
MXZ Adren. 600*	15 x 120"	2.86	1.00	42
MXZ Adren. 800*	15 x 120"	2.86	1.00	42
MXZ Ren. 600*	16 x 137"	2.86	1.25	48
MXZ Ren. 800*	16 x 137"	2.86	1.25	48
MXZ Ren. X 600/800*	16 x 137"	2.86	1.25	48
MXZ Trail / TNT*	15 x 120"	2.86	1.00	42
MXZ X*	15 x 120"	2.86	1.25	42



**Technical Tip
S4-08-0007-2**

2009 Single Ply Track Models

The snowmobiles in these charts are equipped from the factory with a single ply track. These sleds must use Woody's Grand Master studs and Grand Digger support plates.

2.52 pitch single ply tracks can only use the single square and double Grand Digger support plates.

ARCTIC CAT 2009 Single Ply Tracks				
SledModel	TrackLength	Pitch	LugHeight	# of Lugs
Crossfire 5*	15 x 141"	3.00	1.250	47
Crossfire 6*	15 x 141"	3.00	1.250	47
Crossfire 8 / 1000*	15 x 141"	3.00	1.250	47
Crossfire Sno-Pro*	15 x 141"	3.00	1.500	47
F 1000 Sno-Pro*	15 x 128"	2.52	1.250	51
F 6 Sno-Pro*	15 x 128"	2.52	1.250	51
F 8 Sno-Pro*	15 x 128"	2.52	1.250	51
Z1 Turbo LXR*	15 x 128"	2.52	1.250	51
Z1 Turbo Sno-Pro*	15 x 128"	2.52	1.250	51

SKI-DOO 2011 Single Ply Tracks				
SledModel	TrackLength	Pitch	LugHeight	# of Lugs
GSX Limited 1200 4-Tec*	15 x 120"	2.86	1.000	42
GSX Limited 600 E-Tec*	15 x 120"	2.86	1.000	42
GSX Sport 500 SS*	15 x 120"	2.86	1.000	42
GTX LE 1200 4-Tec/600 E-Tec*	15 x 137"	2.86	1.000	48
GTX SE 1200 4-Tec*	15 x 137"	2.86	1.000	48
GTX Sport 500 SS*	15 x 137"	2.86	1.000	48
MXZ Adrenaline 600 / 800*	15 x 120"	2.86	1.000	42
MXZ TNT (2 Stroke)*	15 x 120"	2.86	1.000	42
MXZ TNT (4 Stroke)*	15 x 120"	2.86	1.000	42
MXZ Trail 500 SS*	15 x 120"	2.86	1.000	42
MXZ X (2 Stroke)*	15 x 120"	2.86	1.250	42
MXZ X (4 Stroke)*	15 x 120"	2.86	1.250	42
Renegade X (2 stroke)*	16 x 137"	2.86	1.250	48
Renegade X (4 stroke)*	16 x 137"	2.86	1.250	48



Technical Tip S4-08-0007-2

ARCTIC CAT 2010 Single Ply Tracks

SledModel	TrackLength	Pitch	LugHeight	# of Lugs
Crossfire 6*	15 x 141"	3.00	1.25	47
Crossfire 8 Sno-Pro*	15 x 141"	3.00	1.50	47
Crossfire 8*	15 x 141"	3.00	1.25	47
Sno-Pro 500*	15 x 128"	2.52	1.25	51

2010 Single Ply Track Models

The snowmobiles in these charts are equipped from the factory with a single ply track. These sleds must use Woody's Grand Master studs and Grand Digger support plates.

SKI-DOO 2010 Single Ply Tracks

SledModel	TrackLength	Pitch	LugHeight	# of Lugs
Grand Touring LE*	15 x 137"	2.86	1.00	48
Grand Touring SE*	15 x 137"	2.86	1.00	48
Grand Touring Sport*	15 x 137"	2.86	1.00	48
GSX LE 1200*	15 x 120"	2.86	1.00	42
GSX LE 600*	15 x 120"	2.86	1.00	42
GSX SE 1200*	15 x 137"	2.86	1.00	48
GSX Sport 550F*	15 x 120"	2.86	1.00	42
GSX Sport 600*	15 x 120"	2.86	1.00	42
MXZ Adrenaline 600*	15 x 120"	2.86	1.00	42
MXZ Adrenaline 800*	15 x 120"	2.86	1.00	42
MXZ RS 600*	15 x 120"	2.86	1.25	42
MXZ RS 800*	15 x 120"	2.86	1.25	42
MXZ Sport 600*	15 x 120"	2.86	1.00	42
MXZ TNT 1200*	15 x 120"	2.86	1.00	42
MXZ TNT 550F*	15 x 120"	2.86	1.25	42
MXZ TNT 600*	15 x 120"	2.86	1.00	42
MXZ X 1200*	15 x 120"	2.86	1.25	42
MXZ X 600*	15 x 120"	2.86	1.25	42
MXZ X 800*	15 x 120"	2.86	1.25	42
Renegade Adrenaline 1200*	15 x 137"	2.86	1.25	48
Renegade Adrenaline 600*	15 x 137"	2.86	1.25	48
Renegade Adrenaline 800*	15 x 137"	2.86	1.25	48
Renegade Sport 550F*	15 x 137"	2.86	1.25	48
Renegade X 1200*	15 x 137"	2.86	1.25	48
Renegade X 600*	15 x 137"	2.86	1.25	48
Renegade X 800*	15 x 137"	2.86	1.25	48
Skandic Tundra 550F*	15 x 137"	2.86	1.25	48
Skandic Tundra Sport*	15 x 137"	2.86	1.25	48

2.52 pitch single ply tracks can only use the single square and double Grand Digger support plates.



Technical Tip S4-08-0007-2

ARCTIC CAT 2011 Single Ply Tracks

SledModel	TrackLength	Pitch	LugHeight	# of Lugs
Bearcat Z 1 XT / LTD **	20 x 154"	3.00	1.375	
Bearcat 570 XT **	20 x 154"	3.00	1.375	51
Bearcat 570 **	15 x 151"	3.00	1.250	47
Crossfire 8 Sno-Pro **	15 x 141"	3.00	1.500	47
Crossfire 8 Sno-Pro LTD **	15 x 141"	3.00	1.500	47
Crossfire 8 **	15 x 141"	3.00	1.352	47
Crossfire 8 **	15 x 141"	3.00	1.352	47
Crossfire 6 **	15 x 141"	3.00	1.352	47

2011 Single Ply Track Models

The snowmobiles in these charts are equipped from the factory with a single ply track. These sleds must use Woody's Grand Master studs and Grand Digger support plates.

2.52 pitch single ply tracks can only use the single square and double Grand Digger support plates.

SKI-DOO 2011 Single Ply Tracks

SledModel	TrackLength	Pitch	LugHeight	# of Lugs
MXZ Sport 600 4-Tec *	15 x 120"	2.86	0.750	42
MXZ Sport 600 / 550 F *	15 x 120"	2.86	1.000	42
MXZ TNT 600 / 550 F *	15 x 120"	2.86	1.000	42
MXZ TNT E-Tec 800R/800R/600HO*	15 x 120"	2.86	1.000	42
MXZ TNT 600 4-Tec *	15 x 120"	2.86	1.000	42
MXZ TNT XR 1200 4-Tec *	15 x 120"	2.86	1.000	42
MXZ X-RS / X(XR) / S *	15 x 120"	2.86	1.250	42
GSX LE (XR) LE (XP) *	15 x 120"	2.86	1.000	42
GSX SE 1200 4-Tec *	15 x 137"	2.86	1.000	48
Renegade Sport 600 4-Tec *	15 x 137"	2.86	1.250	48
Renegade Adrenaline (XR) / (XP) *	16 x 137"	2.86	1.250	48
Renegade X (XR) / X (XP) *	16 x 137"	2.86	1.250	48
Renegade Backcountry / X *	16 x 137"	2.86	1.750	48
Grand Touring Sport 550 F / 600 *	16 x 137"	2.86	1.250	48
Grand Touring Sport 600 4-Tec *	15 x 137"	2.86	0.750	48
Grand Touring LE / SE *	15 x 137"	2.86	1.000	48
Expedition Sport *	16 x 154"	2.86	1.500	51
Expedition SE/LE 1200 4-Tec/600HO*	20 x 154"	2.86	1.250	51
Skandic Tundra Xtreme *	16 x 154"	2.86	2.250	51
Skandic Tundra LT *	16 x 154"	2.86	1.500	51
Skandic Tundra Sport 550 F *	16 x 137"	2.86	1.250	48
Skandic Tundra 550 F *	15 x 137"	2.86	1.250	48
Skandic WT (XU) *	20 x 154"	2.86	1.500	51

Arctic Cat

Model	Year	Track Length	Lug Height	Pitch	# of lugs
F1000 Sno Pro	2009	15 x 128	1.25	2.52	51
F8 Sno Pro	2009	15 x 128	1.25	2.52	51
F6 Sno Pro	2009	15 x 128	1.25	2.52	51
Crossfire 1000 Sno Pro	2009	15 x 141	1.50	3.00	47
Crossfire 1000	2009	15 x 141	1.25	3.00	47
Crossfire 800 Sno Pro	2009-11	15 x 141	1.50	3.00	47
Crossfire 800 Sno Pro LTD	2011	15 x 141	1.50	3.00	47
Crossfire 800	2009-10	15 x 141	1.25	3.00	47
Crossfire 800	2011	15 x 141	1.35	3.00	47
Crossfire 6	2009-10	15 x 141	1.25	3.00	47
Crossfire 6	2011	15 x 141	1.35	3.00	47
Crossfire 5	2009	15 x 141	1.25	3.00	47
Z1 Turbo LXR	2009	15 x 128	1.25	2.52	51
Z1 Turbo Sno Pro	2009	15 x 128	1.25	2.52	51
Sno Pro 500	2010	15 x 128	1.25	2.52	51
BearCat 570	2010-11	15 x 151	1.25	2.52	60
BearCat 570 XT	2011	20 x 154	1.375	2.52	61
BearCat Z 1 XT / LTD	2011	20 x 154	1.375	2.52	61

Ski-Doo

Model	Year	Track Length	Lug Height	Pitch	# of lugs
MXZ Sport 550F	2011	15 x 120	1.00	2.86	42
MXZ Sport 600	2010-11	15 x 120	1.00	2.86	42
MXZ Sport 600 4-Tec	2011	15 x 120	0.75	2.86	42
MXZ Trail	2008	15 x 120	1.00	2.86	42
MXZ Trail 500 SS	2009	15 x 120	1.00	2.86	42
MXZ TNT	2008-09	15 x 120	1.00	2.86	42
MXZ TNT (4 Stroke)	2009	15 x 120	1.00	2.86	42
MXZ TNT 600	2010-11	15 x 120	1.00	2.86	42
MXZ TNT 600 HO	2011	15 x 120	1.00	2.86	42
MXZ TNT 600 4-Tec	2011	15 x 120	1.00	2.86	42
MXZ TNT 1200	2010	15 x 120	1.00	2.86	42
MXZ TNT 550F	2010-11	15 x 120	1.25	2.86	42
MXZ TNT 800R E-Tec/800R	2011	15 x 120	1.00	2.86	42
MXZ TNT XR 1200 4-Tec	2011	15 x 120	1.00	2.86	42
MXZ Adrenaline 600/800	2008-10	15 x 120	1.00	2.86	42
Renegade 600/800	2008	16 x 137	1.25	2.86	48
Rene. Adren. 600/800/1200	2010	15 x 137	1.25	2.86	48
Rene. Adren. 600/800/1200	2011	16 x 137	1.25	2.86	48
Rene. Backcountry / X	2010-11	16 x 137	1.75	2.86	48
Renegade Sport 550F	2010	15 x 137	1.25	2.86	48
Renegade Sport 600 4-Tec	2011	15 x 137	1.25	2.86	48
Renegade X 600/800	2008	16 x 137	1.25	2.86	48
Renegade X 600/800/1200	2010	15 x 137	1.25	2.86	48
Renegade X 600/800/1200	2011	16 x 137	1.25	2.86	48
Renegade X (2 Stroke)	2009	16 x 137	1.25	2.86	48
Renegade X (4 Stroke)	2009	16 x 137	1.25	2.86	48
MXZ X	2008-09	15 x 120	1.25	2.86	42
MXZ X (4 Stroke)	2009	15 x 120	1.25	2.86	42
MXZ X 600/800/1200	2010	15 x 120	1.25	2.86	42
MXZ X-RS 600/800	2010	15 x 120	1.25	2.86	42
MXZ X-RS / X (XR) / X	2011	15 x 120	1.25	2.86	42
Expedition Sport	2011	16 x 154	1.50	2.86	54
Expedition SE / LE	2011	20 x 154	1.25	2.86	54
Grand Touring Sport	2010	15 x 137	1.00	2.86	48
Grand Touring Sport 550F/600	2011	16 x 137	1.25	2.86	48
Grand Touring Sport 600 4-Tec	2011	15 x 137	0.75	2.86	48
Grand Touring LE/SE	2010-11	15 x 137	1.00	2.86	48
GSX Sport 500 SS	2008-09	15 x 120	1.00	2.86	42
GSX Sport 550F	2010	15 x 120	1.00	2.86	42
GSX Sport 600	2010	15 x 120	1.00	2.86	42
GSX LE 600/1200	2010	15 x 120	1.00	2.86	42
GSX LE (XR) LE (XP)	2011	15 x 120	1.00	2.86	42
GSX Limited 1200 4-Tec	2009	15 x 120	1.00	2.86	42
GSX Limited 800	2008	15 x 120	1.00	2.86	42

GSX Limited 600	2008	15 x 120	1.00	2.86	42
Ski-Doo cont.					
Model	Year	Track Length	Lug Height	Pitch	# of lugs
GSX Limited 600 E-Tec	2009	15 x 120	1.00	2.86	42
GSX Limited Touring	2008	15 x 120	1.00	2.86	42
GSX SE 1200	2010-11	15 x 137	1.00	2.86	48
GTX Sport 500 SS	2009	15 x 137	1.00	2.86	48
GTX LE 1200 4-Tec	2009	15 x 137	1.00	2.86	48
GTX LE 600 E-Tec	2009	15 x 137	1.00	2.86	48
GTX SE 1200 4-Tec	2009	15 x 137	1.00	2.86	48
Skandic Tundra 550F	2010-11	15 x 137	1.25	2.86	48
Skandic Tundra Sport	2010	16 x 137	1.25	2.86	48
Skandic Tundra Xtreme	2011	16 x 154	2.25	2.86	54
Skandic Tundra LT	2011	16 x 154	1.50	2.86	54
Skandic Tundra Sport 550F	2011	16 x 137	1.25	2.86	48
Skandic WT (XU)	2011	20 x 154	1.50	2.86	54